NCPDP D.0
SERVICE REVERSAL
OVERALL CHANGE REPORT

emdeon

NCPDP D.0 Service Reversal Gap Analysis

Items in Red are flagged as Transitions Challenges

Segment	Field	Description	Change Comment	New	Del	Qualifier	NCPDP Use	Code	NCPDP Size
Header	102-A2	Version/Release Number	Version release changed from 5.1 to D.0						
Header	103-A3	Transaction Code	Value S2						
Header	202-B2	Service Provider ID Qualifier	Value 00 removed, 15 and 16 added						
Claim	455-EM	Prescription/Service Reference Number Qualifier	Value blank removed. For transaction type 'S2' this field must contain a value of '2'.						
Claim	**402-D2**	**Prescription/Service Reference Number**	**Field lengthened from 7 to 12 bytes**						
Claim	436-E1	Product/Service ID Qualifier	Value blank, 05, and 13 removed, values 15, 27 - 34 added. Must contain the product/service ID qualifier (436-E1) value from the original billing.						
Claim	308-C8	Other Coverage Code	Values: Modify definition: 8 = Claim is billing for patient financial responsibility only; 3=Other Coverage Billed – claim not covered; 0= Not specified by patient. Values 05, 06, 07 removed. Required if needed by receiver to match the claim that is being reversed.						
Claim	147-U7	Pharmacy Service Type	Required when the submitter must clarify the type of services being performed as a condition for proper reimbursement by the payer see Appendix 28.1.9 of the version D.0 Telecommunication Standard Implementation guide for details.						
COB/other payments	337-4C	Coordination of Benefits/Other Payments Count	Maximum 9 occurrences. Version 5.1 recommended restriction of 3 or less was removed in D.0. The COB segment should only be sent when the reversal request is to a downstream payer. For details when the COB segment should be used for a service reversal please see section 10.6.4.1 & 10.6.4.2 in the Telecommunication Standard Implementation Guide Version D.0.						
COB/other payme	338-5C	Other Payer Coverage Type	Values 98 and 99 removed, 04 - 09 added						

Segment	Field	Description	Change Comment	New	Del	Qualifier	NCPDP Use	Code	NCPDP Size
Response Header	103-A3	Transaction Code	Value S2 added						
Response Header	202-B2	Service Provider ID Qualifier	Value 00 removed, 15 and 16 added						
Response Status	112-AN	Transaction Response Status	Value B added						
Response Status	510-FA	Reject Count	Only to be used when the response status accepted/rejected or rejected/rejected (501-F1= "A" or "R" & 112-AN= "R"). Maximum 5 occurrences in D.0 version 5.1 allowed a maximum of 99 with 5 or less recommended.						

Segment	Field	Description	Change Comment	New	Del	Qualifier	NCPDP Use	Code	NCPDP Size
Response Status	511-FB	Reject Code	Only to be used when the response status accepted/rejected or rejected/rejected (501-F1= "A" or "R" & 112-AN= "R"). Values 1E,38,H5,RE,TE,and,UE were removed. Valued added were as follows: 201,202,203,204,205,206,207,208,209,210,211,212,213, 214,215,216,217,218,219,220,221,222,223,224,225,226, 227,228,229,230,231,232,233,234,235,236,237,238,239, 240,241,242,243,244,245,246,247,248,249,251,252,253, 254,255,256,257,258,259,260,261,262,263,264,265,266, 267,268,269,270,271,272,273,274,275,276,277,278,279, 280,281,282,283,284,285,286,287,288,289,290,291,292, 293,294,295,296,297,298,299,300,301,302,303,304,305, 306,307,308,309,310,311,312,313,314,315,316,317,318, 319,320,321,322,323,324,325,326,327,328,329,330,331, 332,333,334,335,336,337,338,339,340,341,342,343,344, 345,346,347,348,349,350,351,352,353,354,355,356,357, 358,359,360,361,363,364,365,366,367,368,369,370,371, 372,373,374,375,376,377,378,379,380,381,382,383,384, 385,386,387,388,389,390,391,392,393,394,395,396,397, 398,399,400,401,402,403,404,405,406,407,409,410,411, 412,413,414,415,416,417,418,419,420,421,422,423,424, 425,426,427,428,429,430,431,432,433,434,435,436,437, 438,439,440,441,442,443,445,446,447,448,449,450,451, 452,453,454,455,456,457,458,459,460,461,462,463,1R,1 S,1T,1U,1V,1W,1X,1Y,1Z,2A,2B,2D,2G,2H,2J,2K,2M,2N,2 P,2Q,2R,2S,2T,2U,2V,2W,2X,2Z,2G,2H,2J,2K,2M,2N,2P,2 Q,2R,2S,2T,2U,2V,2W,2X,2Z,3Q,3U,3V,4B,4D,4G,4J,4K,4 M,4N,4P,4Q,4R,4S,4T,4W,4X,4Y,4Z,5J,6D,6G,6H,6J,6N,6P ,6Q,6R,6S,6T,6U,6V,6W,6X,6Z,7B,7D,7F,7G,7J,7K,7M,7N, 7P,7Q,7R,7S,7T,7U,7V,7W,7X,7Y,7Z,8A,8B,8D,8G,8H,8J,8 K,8M,8N,8P,8Q,8R,8S,8T,8U,8V,8W,8X,8Y,8Z,9B,9C,9D,9 E,9G,9H,9J,9K,9M,9N,9P,9Q,9R,9S,9T,9U,9V,9W,9X,9Y,9 Z,A1,A2,A5,A6,A7,AQ,BA,BB,BC,BD,BF,BG,BH,BJ,BK,BM,E 2,EH,G1,G2,G4,G5,G6,G7,G8,G9,HN,K5,MG,MH,MJ,MK, MM,MN,MP,MR,MT,MU,MV,MW,MX,MY,NA,NB,NC,NF, NG,NH,NJ,NK,NP,NQ,NR,NU,NV,NW,NX,NY,N1,N3,N4,N 5,N6,N7,N8,N9,PQ,PU,P0,RL,RQ,RR,RV,RW,RX,RY,RZ,R0, S0,S1,S2,S3,S4,S5,S6,S7,S8,S9,SA,SB,SC,SD,SF,SG,SH,SJ,SK ,SM,SN,SP,SQ,TD,TF,TG,TH,TJ,TK,TM,TN,TQ,TR,TS,TT,TU, TV,TX,TY,TZ,T0,T1,T2,T3,T4,UA,UU,W0,W5,W6,W7,W8, W9,XZ,X1,X2,X3,X4,X6,X7,X8,X9,YA,YB,YC,YD,YE,YF,YG,Y H,YJ,YK,YM,YN,YP,YQ,YR,YS,YT,YU,YW,YX,YY,YZ,Y0,Y1,Y2, Y3,Y4,Y5,Y6,Y7,Y8,Y9,Z0,Z1,Z2,Z3,Z4,Z5,Z6,Z7,Z8,Z9,ZA,Z B,ZC,ZD,ZK,ZM,ZN,ZP,ZQ,ZX,ZY,ZZ,UZ,U0,U7,VA,VB,VC,V D,VE,V0. Used only when the response is either						

Segment	Field	Description	Change Comment	New	Del	Qualifier	NCPDP Use	Code	NCPDP Size
Response Status	511-FB		accepted/rejected (501-f1= 'A' & 112-AN= 'R' or when the response is rejected/rejected (501-F1= 'R' & 112-AN= 'R'). Please also note that in the D.0 Telecommunication Guide section 26.1.2 it states the following, "Note: For syntax errors, the Reject Code (511-FB) of “R8 “ must be used whenever a specific reject code is not designated. Specific reject codes must be returned whenever possible to assist in understanding the rejection."						
Response Status	130-UF	Additional Message Information Count	Maximum number of occurrences is 25. Required if Additional Message Information (526-FQ) is used. Used to qualify the number of occurrences of the Additional Message Information (526-FQ) that is included in the Response Status Segment.						
Response Status	132-UH	Additional Message Information Qualifier	Required if Additional Message Information (526-FQ) is used.						
Response Status	**526-FQ**	**Additional Message Information**	**Field length reduced from 200 to 40 bytes and added repeat functionality**						
Response Status	131-UG	Additional Message Information Continuity	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.						
Response Status	549-7F	Help Desk Phone Number Qualifier	Value blank removed						
Response Status	993-A7	Internal Control Number	Required when used for payer-to-payer Coordination of Benefits to track the claim without regard to the “Service Provider ID, Prescription Number, & Date of Service”.						
Response Claim	**402-D2**	**Prescription/Service Reference Number**	**Field lengthened from 7 to 12 bytes. Significant digits on submission must be returned on the response.**						